

Explore (VitalSource Bookshelf) Accessibility Conformance Report

International edition, based on VPAT[®] version 2.5*

Name of product/version:	Explore (VitalSource Bookshelf)
Report date:	8 October 2024
Product description:	Website (recommendations for book titles on VitalSource Bookshelf platform)
Contact information:	[client contact email address]
Notes:	<p>Explore is available for VitalSource Bookshelf users that have access to a collection or library adoption. These pages are also used by some third party sites and provided in the context of an <iframe>. It is not part of the core Bookshelf offering.</p> <p>All conformance statements stated are specific to these pages alone.</p> <p>The rest of Bookshelf has a separate VPAT covering its conformance.</p> <p>Where hosted in a third party site, this VPAT covers only the embedded content and not the host site.</p>
Evaluation methods used:	<p>This conformance report is based on the results of an accessibility audit conducted by TPGi on a representative sample of pages and components across selected user journeys, for the purpose of assessing conformance to accessibility guidelines.</p> <p>The W3C Website Accessibility Conformance Evaluation Methodology (WCAG-EM) was followed for conducting the accessibility audit. The testing included manual accessibility testing, automated accessibility tools, and testing with assistive technology across multiple platforms and browsers.</p> <p>The following applications were used as part of the audit to identify potential accessibility issues:</p> <ul style="list-style-type: none">• Desktop browsers: JAWS, NVDA, VoiceOver• Assistive technologies and settings: Chrome, Firefox, Safari• Accessibility testing tools: ARC Toolkit, ARC Capture Extension, Colour Contrast Analyser
Applicable standards/guidelines:	<p>This report covers the degree of conformance for the following accessibility standards/guidelines:</p> <ul style="list-style-type: none">• Web Content Accessibility Guidelines (WCAG) 2.0 Level A and AA• Web Content Accessibility Guidelines (WCAG) 2.1 Level A and AA

* "Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

- [Web Content Accessibility Guidelines \(WCAG\) 2.2](#) Level A and AA
- [Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018](#)
- [EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 \(2019-11\)](#) and [EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 \(2021-03\)](#)

Table of contents

Explore (VitalSource Bookshelf) Accessibility Conformance Report	1
Table of contents	3
Terms	4
WCAG 2.x Report	5
Table 1: Success Criteria, Level A.....	5
Table 2: Success Criteria, Level AA.....	17
Table 3: Success Criteria, Level AAA	26
Revised Section 508 Report	27
Chapter 3: Functional Performance Criteria (FPC)	27
Chapter 4: Hardware	27
Chapter 5: Software	27
Chapter 6: Support Documentation and Services	28
EN 301 549 Report	29
Chapter 4: Functional Performance Statements (FPS).....	29
Chapter 5: Generic Requirements	30
Chapter 6: ICT with Two-Way Voice Communication	32
Chapter 7: ICT with Video Capabilities	32
Chapter 8: Hardware	32
Chapter 9: Web	32
Chapter 10: Non-Web Documents	32
Chapter 11: Software	32
Chapter 12: Documentation and Support Services	32
Chapter 13: ICT Providing Relay or Emergency Service Access	32
Legal disclaimer.....	32

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially supports:** Some functionality of the product does not meet the criterion.
- **Does not support:** The majority of product functionality does not meet the criterion.
- **Not applicable:** The criterion is not relevant to the product.
- **Not evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

The WCAG 2.x Report section documents conformance with WCAG 2.0, 2.1, and 2.2.

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1–10.4 of Chapter 10 — Non-Web Documents, Sections 11.1–11.4 and 11.8.2 of Chapter 11 — Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation and Support Services
- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance level	Remarks and explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>Non-text content that is presented to the user has a text alternative that serves the equivalent purpose, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Stopwatch (return date indicator) image lacks an alt attribute • Book cover decorative image is not hidden to assistive technology
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) 	Not applicable	The application does not contain non-text content.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	The application contains no audio-only or video-only content.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508	Not applicable	The application does not contain any synchronized media which would require an alternative for time-based media or audio description.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Generic repeated control names ("Return", "Open Book") that are not programmatically related to visual element on page • Element that is presented as a heading in sidebar info panel does not use the correct heading markup or attributes
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>A correct reading sequence can be programmatically determined for most content in the application, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Toast message shown visually at start of page that contains interactive element but is added to end of page (in the DOM)

Criteria	Conformance level	Remarks and explanations
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components.
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.
<p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) 	Not applicable	The application does not contain any audio which plays automatically for more than three seconds.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.1.1 Keyboard</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes.
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	For every component that receives keyboard focus, focus can be moved away from that component using only a keyboard interface.

Criteria	Conformance level	Remarks and explanations
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not applicable	The application does not provide keyboard shortcuts.
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	The application does not feature any time limits.
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Not applicable	The application does not contain any moving, blinking, scrolling, or auto-updating content presented in parallel with other content.

Criteria	Conformance level	Remarks and explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<u>2.3.1 Three Flashes or Below Threshold</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The application does not contain anything that flashes more than three times in any one second period.
<u>2.4.1 Bypass Blocks</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) 	Supports	The website provides a skip link for bypassing the top navigation.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) – Does not apply to non-web docs 		
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	All pages have titles that describe their topic or purpose.
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially supports	<p>Focusable components receive focus in an order that preserves meaning and operability, with some exceptions. These include:</p> <ul style="list-style-type: none"> Focus is lost after 'Borrow' button is activated (causes a page reload) Hidden element has keyboard focus after 'Book details' panel is dismissed Hidden element incorrectly receives keyboard focus when 'Book details' panel is shown Carousel items that are off screen receive focus, do not move into view
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.4 (Web) 	Supports	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	All functionality can be operated using a single pointer without a path-based gesture.
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Single-pointer functions can be aborted by moving the pointer to a neutral location.
<p><u>2.5.3 Label in Name</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p>	Supports	The accessible names of controls match or contain their visible text labels.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) – Informative only • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not applicable	The application does not have functionality operated by device motion or user motion.
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The human language of all pages in the application is correctly identified.

Criteria	Conformance level	Remarks and explanations
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Components do not initiate a change of context when they receive focus.
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Changing the values of form controls does not cause an automatic change of context.
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	Help mechanisms which are repeated on multiple web pages are always in a consistent location.
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) 	Supports	For all input errors that are automatically detected, the items that are in error are identified and the errors are described to the user in text.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Labels or instructions are provided for all content that requires user input.
<p><u>3.3.7 Redundant Entry</u> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Not applicable	There are no processes that require a user to enter the same data more than once within that session.
<p><u>4.1.1 Parsing</u> (Level A)</p> <p>Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) – Does not apply EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) 	Does not apply	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>For most user interface components, the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies. However, there are some exceptions. These include:</p> <ul style="list-style-type: none"> • Tooltip trigger element in 'Recommended for you' has no role exposed to assistive technology

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance level	Remarks and explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) 	Not applicable	The application does not contain synchronized media with live audio content.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	The application does not contain any synchronized media which would require an audio description.
<p><u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	All content and functionality are presented and usable at different orientations.
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.1.3.5 (Web) 	Not applicable	The application does not contain any input fields collecting information about the user.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Text and images of text have a contrast ratio of at least 4.5:1.
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Text can be resized by zooming web pages up to 200% without loss of content or functionality.

Criteria	Conformance level	Remarks and explanations
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The application uses text characters to convey information rather than images of text.
<p><u>1.4.10 Reflow</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially supports	<p>The majority of the website can be resized to a width of 320 CSS pixels without loss of content or functionality, and without requiring scrolling in two dimensions, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Fixed height content prevents search results from displaying • Book title content is truncated in the Borrowed Items list
<p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Supports	The meaningful parts of interface components and graphics have a contrast ratio of at least 3:1.

Criteria	Conformance level	Remarks and explanations
Revised Section 508 – Does not apply		
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The application allows for relevant text style properties to be changed without loss of content or functionality.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially supports	<p>Most additional content that appears on hover or focus is dismissable, hoverable, and persistent, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Expanded book synopsis shown in the 'Recommended for you' section cannot be hovered nor dismissed
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Supports	More than one way is available to locate web pages. Each book page can be reached through a link from the carousel, trending or recommended for you, as well as the main search facility.

Criteria	Conformance level	Remarks and explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	The majority of headings and labels appropriately describe the topic or purpose of their related content, with some exceptions. These include: <ul style="list-style-type: none"> • Label used for book cover omits author name and the action that control will take
<u>2.4.7 Focus Visible</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	All keyboard operable user interface components provide a visible keyboard focus indicator.

Criteria	Conformance level	Remarks and explanations
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	No focusable elements are entirely obscured at the point when they receive focus.
<p><u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Not applicable	The application does not contain any author-defined functionality which uses pointer dragging movements.
<p><u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Supports	All author-sized pointer targets have a minimum target size of 24 by 24 CSS pixels.
<p><u>3.1.2 Language of Parts</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The human language of each passage or phrase in the content can be programmatically determined.
<p><u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Supports	Navigational mechanisms that are repeated on multiple pages occur in the same relative order.

Criteria	Conformance level	Remarks and explanations
<ul style="list-style-type: none"> • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Components that have the same functionality within a set of pages are identified consistently.
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Not applicable	The application does not contain any components expecting user input that have known suggestions for corrections.

Criteria	Conformance level	Remarks and explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	The application does not contain pages that cause legal commitments or financial transactions, modify or delete user-controllable data in a data storage system, or submit user test responses.
<u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not applicable	The application does not contain any authentication processes.
<u>4.1.3 Status Messages</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially supports	Most status messages can be presented to the user by assistive technologies without receiving focus, with some exceptions. These include: <ul style="list-style-type: none"> • Toast message "This book has been added to My Library" not announced by screen readers

Table 3: Success Criteria, Level AAA

Notes: Not evaluated

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance level	Remarks and explanations
302.1 Without Vision	Partially supports	Supports with the exceptions documented in the following WCAG sections: 1.1.1 Non-text Content 1.3.1 Info and Relationships 2.4.3 Focus Order 4.1.2 Name, Role, Value
302.2 With Limited Vision	Partially supports	Supports with the exceptions documented in the following WCAG sections: 1.1.1 Non-text Content 1.3.1 Info and Relationships 2.4.3 Focus Order 4.1.2 Name, Role, Value
302.3 Without Perception of Color	Supports	
302.4 Without Hearing	Supports	
302.5 With Limited Hearing	Supports	
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Supports	
302.8 With Limited Reach and Strength	Supports	
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	

Chapter 4: [Hardware](#)

Not applicable. Explore (VitalSource Bookshelf) is not hardware.

Chapter 5: [Software](#)

Not applicable. Explore (VitalSource Bookshelf) is not software.

Chapter 6: [Support Documentation and Services](#)

Not applicable. Explore (VitalSource Bookshelf) has no documentation and no support services.

EN 301 549 Report

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially supports	Supports with the exceptions documented in the following WCAG sections: 1.1.1 Non-text Content 1.3.1 Info and Relationships 2.4.3 Focus Order 4.1.2 Name, Role, Value 4.1.3 Status Messages
4.2.2 Usage with limited vision	Partially supports	Supports with the exceptions documented in the following WCAG sections: 1.1.1 Non-text Content 1.3.1 Info and Relationships 1.4.10 Reflow 2.4.3 Focus Order 4.1.2 Name, Role, Value 4.1.3 Status Messages
4.2.3 Usage without perception of colour	Supports	
4.2.4 Usage without hearing	Supports	
4.2.5 Usage with limited hearing	Supports	
4.2.6 Usage with no or limited vocal capability	Supports	
4.2.7 Usage with limited manipulation or strength	Supports	
4.2.8 Usage with limited reach	Supports	
4.2.9 Minimize photosensitive seizure triggers	Supports	
4.2.10 Usage with limited cognition, language or learning	Supports	
4.2.11 Privacy	Supports	

Chapter 5: [Generic Requirements](#)

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not applicable	The product is not closed to screen readers.
5.1.3.2 Auditory output delivery including speech	Not applicable	The product is not closed to screen readers.
5.1.3.3 Auditory output correlation – Informative only	Not applicable	The product is not closed to screen readers.
5.1.3.4 Speech output user control	Not applicable	The product is not closed to screen readers.
5.1.3.5 Speech output automatic interruption	Not applicable	The product is not closed to screen readers.
5.1.3.6 Speech output for non-text content	Not applicable	The product is not closed to screen readers.
5.1.3.7 Speech output for video information	Not applicable	The product is not closed to screen readers.
5.1.3.8 Masked entry	Not applicable	The product is not closed to screen readers.
5.1.3.9 Private access to personal data	Not applicable	The product is not closed to screen readers.
5.1.3.10 Non-interfering audio output	Not applicable	The product is not closed to screen readers.
5.1.3.11 Private listening volume	Not applicable	The product is not closed to screen readers.
5.1.3.12 Speaker volume	Not applicable	The product is not closed to screen readers.
5.1.3.13 Volume reset	Not applicable	The product is not closed to screen readers.
5.1.3.14 Spoken languages	Not applicable	The product is not closed to screen readers.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.15 Non-visual error identification	Not applicable	The product is not closed to screen readers.
5.1.3.16 Receipts, tickets, and transactional outputs	Not applicable	The product is not closed to screen readers.
5.1.4 Functionality closed to text enlargement	Not applicable	The product is not closed to text enlargement.
5.1.5 Visual output for auditory information	Not applicable	The product does not have closed functionality.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not applicable	The product is not closed to keyboards.
5.1.7 Access without speech	Not applicable	The product does not have closed functionality.
5.2 Activation of accessibility features	Not applicable	The product does not have user-activated accessibility features.
5.3 Biometrics	Not applicable	The product does not have biometric features.
5.4 Preservation of accessibility information during conversion	Not applicable	The product does not include documentation provided for accessibility.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not applicable	The product does not include manually operable parts.
5.5.2 Operable parts discernibility	Not applicable	The product does not include manually operable parts.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not applicable	The product does not have locking or toggle controls.
5.6.2 Visual status	Not applicable	The product does not have locking or toggle controls.
5.7 Key repeat	Not applicable	Key repeat is a function of the underlying platform.

Criteria	Conformance Level	Remarks and Explanations
5.8 Double-strike key acceptance	Not applicable	The product does not provide a keyboard.
5.9 Simultaneous user actions	Not applicable	The product does not require simultaneous user actions.

Chapter 6: [ICT with Two-Way Voice Communication](#)

Not applicable. Explore (VitalSource Bookshelf) does not incorporate Two-Way Voice Communication.

Chapter 7: [ICT with Video Capabilities](#)

Not applicable. Explore (VitalSource Bookshelf) does not display, transmit, convert, or record video.

Chapter 8: [Hardware](#)

Not applicable. Explore (VitalSource Bookshelf) is not hardware.

Chapter 9: [Web](#)

See the [WCAG 2.x Report](#) section.

Chapter 10: [Non-Web Documents](#)

Not applicable. Explore (VitalSource Bookshelf) does not include non-web documents.

Chapter 11: [Software](#)

Not applicable. Explore (VitalSource Bookshelf) is not software and does not have authoring tool functionality.

Chapter 12: [Documentation and Support Services](#)

Not applicable. Explore (VitalSource Bookshelf) has no documentation and no support services.

Chapter 13: [ICT Providing Relay or Emergency Service Access](#)

Not applicable. Explore (VitalSource Bookshelf) does not provide Relay or Emergency Service Access.

Legal disclaimer

[For the client to fill in – Include your company legal disclaimer here, if needed.]